

FIG. 2

```
#define TRACE_MAGIC_PREFIX "LPTRACE_PRE"
#define TRACE_MAGIC_SUFFIX "LPTRACE_SUF"
#define TRACEID(str) (TRACE_MAGIC_PRE str TRACE_MAGIC_SUF)
#define TRACE3(compldn, traceStrIn, data1In, data2In, data3In) \
    osiTrace3(compldn, TRACEID("3" traceStrIn), (UINT32)(data1In), (UINT32)(data2In), (UINT32)(data3In))
#define OS_LNTSTR1(lineln) #lineln
#define OS_LNTSTR(lineln) OS_LNTSTR1(lineln)
#define OS_TRC_LOCAL_INFO(functionNameIn) \
    __FILE__, "OS_LNTSTR(__LINE__) ", "functionNameIn ", "
```

↑
300

FIG. 3

410

osiTrace3(OS_COMP_ID, ("LPTRC_PRE 3 osproceexception.c, 765, osProcessException: PPC750 exception data: MSR = @w, DSISR = @w, DAR = @w LPTRC_SUF"),
(UINT32)(msr), (UINT32)(dsisr), (UINT32)(dar));

FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8



OS: osprocexception.c, 765, osProcessException: PPC750 exception data: MSR = 0x0003540, DSISR = 0x000003FE, DAR = 0x00001FFF

1
1000

FIG. 10